


# FORUM



Specification in according EN 1307

Costruzione	Technique de fabrication	Construction	Herstellungsverfahren
Tufting velluto 1/10"	Tufted velours 1/10"	Tufted cut pile 1/10"	Getufted Velours 1/10"
<b>Composizione</b>	<b>Composition du velours</b>	<b>Pile composition</b>	<b>Polnutschicht</b>
100% poliammide	100% polyamide	100% polyamid	100% polyamid
<b>Sottofondo</b>	<b>Dossier</b>	<b>Secondary backing</b>	<b>Rückenausüstung</b>
Juta sintetica	Jute synthétique	Synthetic jute	SDR Textilrucken
<b>Punti al m<sup>2</sup></b>	<b>Touffes au m<sup>2</sup></b>	<b>Stitches per m<sup>2</sup></b>	<b>Knoten m<sup>2</sup></b>
± 177750	± 177750	± 177750	± 177750
<b>Altezza pelo</b>	<b>Hauteur du velours</b>	<b>Pile height</b>	<b>Polhöhe</b>
± 6 mm	± 6 mm	± 6 mm	± 6 mm
<b>Altezza totale</b>	<b>Hauteur totale</b>	<b>Total height</b>	<b>Gesamtdicke</b>
± 8.2 mm	± 8.2 mm	± 8.2 mm	± 8.2 mm
<b>Peso della fibra</b>	<b>Poids du velours</b>	<b>Yarn weight</b>	<b>Polgewicht</b>
± 1150 g/m <sup>2</sup>	± 1150 g/m <sup>2</sup>	± 1150 g/m <sup>2</sup>	± 1150 g/m <sup>2</sup>
<b>Peso totale</b>	<b>Poids total</b>	<b>Total weight</b>	<b>Gesamtgewicht</b>
± 2000 g/m <sup>2</sup>	± 2000 g/m <sup>2</sup>	± 2000 g/m <sup>2</sup>	± 2000 g/m <sup>2</sup>
<b>Larghezza rotolo</b>	<b>Largeur du rouleau</b>	<b>Roll width</b>	<b>Breite</b>
400 cm	400 cm	400 cm	400 cm
<b>Famiglia Tufting 1</b>	<b>Famiglia Tufting 1</b>	<b>Famiglia Tufting 1</b>	<b>Famiglia Tufting 1</b>



U3P3E1C0  
n°04/141



Colour fastness to light	≥ 5 (4 pastel shade)	Thermal resistance m <sup>2</sup> K/W	≤ 0,17
Insulation impact noise ΔLw	30 dB	Body voltage walking test kV	≤ 2
Acoustical absorption α <sub>w</sub>	0,20		

RESISTENZA – WEARABILITY RESISTANCE - STRAPAZIERWERT				COMFORT – COMFORT CONFORT - KOMFORTWERT			
estrema	elevata	normale	sufficiente	medio	buono	alto	ottimo
extreme	high	good	normal	medium	good	very good	excellent
extrême	élevée	normale	suffisante	moyen	bon	élévé	excellent
extrem	stark	normal	gering	einfach	gut	hoch	luxuriös

Approved by Technique Management: M. Medica

Date: 29/08/2012